



## TASKI Sani Clonet W4f

Revision: 2019-07-19

Version: 06.3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: TASKI Sani Clonet W4f

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses:

For professional use only.

AISE-P305 - Sanitary cleaner. Manual process

**Uses advised against:** Uses other than those identified are not recommended

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Skin Corr. 1C (H314)

Eye Dam. 1 (H318)

Met. Corr. 1 (H290)

#### 2.2 Label elements



**Signal word:** Danger.

Contains alkylbenzenesulphonic acid (Dodecylbenzene Sulfonic Acid)

#### Hazard statements:

H314 - Causes severe skin burns and eye damage.

H290 - May be corrosive to metals.

#### Precautionary statements:

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

#### 2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

### SECTION 3: Composition/information on ingredients

## TASKI Sani Clonet W4f

## 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sulphamic acid	226-218-8	5329-14-6	01-2119488633-28, 01-2119846728-23, 01-2119982121-44	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Aquatic Chronic 3 (H412)		3-10
alkylbenzenesulphonic acid	287-494-3	85536-14-7	01-2111-9490234-40	Skin Corr. 1C (H314) Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		3-10
citric acid	201-069-1	77-92-9	01-2119457026-42	Eye Irrit. 2 (H319)		3-10

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[11] Substance of Very High Concern (SVHC)

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General Information:

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

#### Inhalation:

Get medical attention or advice if you feel unwell.

#### Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

#### Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

#### Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

#### Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Inhalation:

No known effects or symptoms in normal use.

#### Skin contact:

Causes severe burns.

#### Eye contact:

Causes severe or permanent damage.

#### Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, gloves and eye/face protection.

### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

### 6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## SECTION 7: Handling and storage

## TASKI Sani Clonet W4f

**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

**Recommended monitoring procedures, if available:**

Additional exposure limits under the conditions of use, if available:

**DNEL/DMEL and PNEC values****Human exposure**

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphamic acid	-	-	-	1.06
alkylbenzenesulphonic acid	-	-	-	0.85
citric acid	-	-	-	-

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sulphamic acid	No data available	-	No data available	-
alkylbenzenesulphonic acid	-	-	-	170
citric acid	No data available	-	No data available	-

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sulphamic acid	No data available	-	No data available	-
alkylbenzenesulphonic acid	-	-	-	85
citric acid	No data available	-	No data available	-

DNEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphamic acid	-	-	-	7.5
alkylbenzenesulphonic acid	-	-	12	12
citric acid	-	-	-	-

DNEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphamic acid	-	-	-	1.85
alkylbenzenesulphonic acid	-	-	3	3
citric acid	-	-	-	-

**Environmental exposure**

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh	Surface water, marine	Intermittent (mg/l)	Sewage treatment

## TASKI Sani Clonet W4f

	(mg/l)	(mg/l)		plant (mg/l)
sulphamic acid	0.3	0.03	0.3	200
alkylbenzenesulphonic acid	0.278	0.0287	0.0167	3.43
citric acid	0.44	0.044	-	> 1000

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
sulphamic acid	0.3	0.03	3	-
alkylbenzenesulphonic acid	0.287	0.287	35	-
citric acid	34.6	3.46	33.1	-

**8.2 Exposure controls**

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** No special requirements under normal use conditions.  
**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**Personal protective equipment****Eye / face protection:**

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

**Hand protection:**

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:**

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

**Respiratory protection:**

No special requirements under normal use conditions.

**Environmental exposure controls:**

Should not reach sewage water or drainage ditch undiluted or unneutralised.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
<b>Physical State:</b> Liquid	
<b>Colour:</b> Clear, Medium, Red	
<b>Odour:</b> Slightly perfumed	
<b>Odour threshold:</b> Not applicable	
<b>pH:</b> < 2 (neat)	ISO 4316
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sulphamic acid	205	Method not given	1013
alkylbenzenesulphonic acid	190	Method not given	
citric acid	No data available		

**Method / remark**

**Flammability (liquid):** Not flammable.

**Flash point (°C):** not determined

**Sustained combustion:** No

( UN Manual of Tests and Criteria, section 32, L.2 )

**Evaporation rate:** Not relevant for classification of this product.

**Flammability (solid, gas):** Not applicable to liquids

**Upper/lower flammability limit (%):** Not determined

Substance data, flammability or explosive limits, if available:

## TASKI Sani Clonet W4f

**Vapour pressure:** Not determined

**Method / remark**

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sulphamic acid	0	Method not given	20
alkylbenzenesulphonic acid	0.15		20
citric acid	No data available		

**Vapour density:** Not determined

**Relative density:** ≈ 1.06 (20 °C)

**Solubility in / Miscibility with Water:** Fully miscible

**Method / remark**

Not relevant to classification of this product

OECD 109 (EU A.3)

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sulphamic acid	213	Method not given	20
alkylbenzenesulphonic acid	> 10	Method not given	20
citric acid	1630	Method not given	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Autoignition temperature:** Not determined

**Decomposition temperature:** Not applicable.

**Viscosity:** ≈ 95 mPa.s (20 °C)

**Explosive properties:** Not explosive.

**Oxidising properties:** Not oxidising.

**Method / remark**

DM-006 Viscosity - Standard

**9.2 Other information**

**Surface tension (N/m):** Not determined

**Corrosion to metals:** Corrosive

OECD 115

Weight of evidence

Substance data, dissociation constant, if available:

## SECTION 10: Stability and reactivity

**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

Reacts with alkali and metals. Keep away from products containing chlorine-based bleaching agents or sulphites.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

**11.1 Information on toxicological effects**

Mixture data:

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
---------------	----------	---------------	---------	--------	-------------------

## TASKI Sani Clonet W4f

sulphamic acid	LD <sub>50</sub>	2065	Rat	Method not given
alkylbenzenesulphonic acid	LD <sub>50</sub>	> 1470	Rat	OECD 401 (EU B.1)
citric acid	LD <sub>50</sub>	3000	Rat	Method not given

## Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sulphamic acid		No data available			
alkylbenzenesulphonic acid	LD <sub>50</sub>	> 2000	Rat	OECD 402 (EU B.3)	
citric acid	LD <sub>50</sub>	> 2000	Rat	Method not given	

## Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphamic acid		No data available			
alkylbenzenesulphonic acid		No data available			
citric acid		No data available			

## Irritation and corrosivity

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphamic acid	Irritant	Rabbit	OECD 404 (EU B.4)	
alkylbenzenesulphonic acid	Corrosive	Rabbit	OECD 404 (EU B.4)	
citric acid	Not irritant	Rabbit	OECD 404 (EU B.4)	

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphamic acid	Severe damage	Rabbit	OECD 405 (EU B.5)	
alkylbenzenesulphonic acid	Severe damage	Rabbit	OECD 405 (EU B.5)	
citric acid	Irritant	Rabbit	OECD 405 (EU B.5)	

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphamic acid	No data available			
alkylbenzenesulphonic acid	No data available			
citric acid	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sulphamic acid	No data available			
alkylbenzenesulphonic acid	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
citric acid	Not sensitising	Guinea pig	Method not given	

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sulphamic acid	No data available			
alkylbenzenesulphonic acid	No data available			
citric acid	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sulphamic acid	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
alkylbenzenesulphonic acid	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
citric acid	No data available		No evidence of genotoxicity, negative test results	Method not given

## Carcinogenicity

Ingredient(s)	Effect
sulphamic acid	No data available
alkylbenzenesulphonic acid	No evidence for carcinogenicity, weight-of-evidence
citric acid	No evidence for carcinogenicity, negative test results

## TASKI Sani Clonet W4f

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sulphamic acid			No data available				
alkylbenzenesulphonic acid	NOAEL	Teratogenic effects	300	Rat	Read across	20 day(s)	
citric acid			No data available				No evidence for reproductive toxicity

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sulphamic acid		No data available				
alkylbenzenesulphonic acid		No data available				
citric acid		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sulphamic acid		No data available				
alkylbenzenesulphonic acid		No data available				
citric acid		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sulphamic acid		No data available				
alkylbenzenesulphonic acid		No data available				
citric acid		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sulphamic acid			No data available					
alkylbenzenesulphonic acid	Oral	NOAEL	85	Rat	Read across	9 month(s)		
citric acid			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
sulphamic acid	No data available
alkylbenzenesulphonic acid	No data available
citric acid	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sulphamic acid	No data available
alkylbenzenesulphonic acid	No data available
citric acid	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## SECTION 12: Ecological information

## 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

## TASKI Sani Clonet W4f

**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphamic acid	LC <sub>50</sub>	70.3	<i>Pimephales promelas</i>	Method not given	96
alkylbenzenesulphonic acid	LC <sub>50</sub>	1 - 10	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
citric acid	LC <sub>50</sub>	440	<i>Leuciscus idus</i>	Method not given	48

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphamic acid		No data available			-
alkylbenzenesulphonic acid	EC <sub>50</sub>	1 - 10	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
citric acid	EC <sub>50</sub>	1535	<i>Daphnia magna Straus</i>	Method not given	24

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphamic acid		No data available			-
alkylbenzenesulphonic acid	EC <sub>50</sub>	10 - 100	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
citric acid	LC <sub>50</sub>	425	<i>Scenedesmus quadricauda</i>	Method not given	168

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sulphamic acid		No data available			-
alkylbenzenesulphonic acid		No data available			-
citric acid		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sulphamic acid	EC <sub>10</sub>	> 1000	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
alkylbenzenesulphonic acid		No data available			
citric acid	EC <sub>50</sub>	> 10000	<i>Pseudomonas putida</i>	Method not given	16 hour(s)

**Aquatic long-term toxicity**

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sulphamic acid		No data available				
alkylbenzenesulphonic acid	NOEC	0.1 - 1	<i>Lepomis macrochirus</i>	Read across	28 day(s)	
citric acid		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sulphamic acid		No data available				
alkylbenzenesulphonic acid	NOEC	1 - 10	<i>Not specified</i>	Read across	32 day(s)	
citric acid		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sulphamic acid		No data available			-	
alkylbenzenesulphonic acid		No data available			-	
citric acid		No data available			-	



## TASKI Sani Clonet W4f

**Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sulphamic acid		No data available			-	
alkylbenzenesulphonic acid	LD <sub>50</sub>	> 1000	<i>Eisenia fetida</i>	OECD 207	14	
citric acid		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sulphamic acid		No data available			-	
alkylbenzenesulphonic acid	EC <sub>50</sub>	167		OECD 208	21	
citric acid		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sulphamic acid		No data available			-	
alkylbenzenesulphonic acid		No data available			-	
citric acid		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sulphamic acid		No data available			-	
alkylbenzenesulphonic acid		No data available			-	
citric acid		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sulphamic acid		No data available			-	
alkylbenzenesulphonic acid		No data available			-	
citric acid		No data available			-	

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
sulphamic acid					Not applicable (inorganic substance)
alkylbenzenesulphonic acid			94 % in 28 day(s)	OECD 301A	Readily biodegradable
citric acid			97 % in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

**12.3 Bioaccumulative potential**

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sulphamic acid	0.1		No bioaccumulation expected	

## TASKI Sani Clonet W4f

alkylbenzenesulphonic acid	3.2	Method not given	Low potential for bioaccumulation	
citric acid	-1.72		No bioaccumulation expected	

## Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sulphamic acid	No data available				
alkylbenzenesulphonic acid	2 - 500		Method not given	Low potential for bioaccumulation	
citric acid	No data available				

## 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sulphamic acid	No data available				
alkylbenzenesulphonic acid	No data available				Low mobility in soil
citric acid	No data available				Potential for mobility in soil, soluble in water

## 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

## 12.6 Other adverse effects

No other adverse effects known.

**SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 14\* - acids.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

**SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 1760

14.2 UN proper shipping name:

Corrosive liquid, n.o.s. ( sulphamic acid , alkylsulphonic acid )

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C9

Tunnel restriction code: E

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

**SECTION 15: Regulatory information**

## TASKI Sani Clonet W4f

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

UFI: KQ75-W0JA-000Q-69R1

**Ingredients according to EC Detergents Regulation 648/2004**

anionic surfactants  
perfumes

5 - 15 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MSDS4966

**Version:** 06.3

**Revision:** 2019-07-19

**Reason for revision:**

This data sheet contains changes from the previous version in section(s):, 2, 3, 4, 6, 7, 8, 9, 11, 12, 15, 16

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Full text of the H and EUH phrases mentioned in section 3:**

- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H319 - Causes serious eye irritation.
- H412 - Harmful to aquatic life with long lasting effects.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- OECD - Organization for Economic Cooperation and Development

**End of Safety Data Sheet**